



Patent Department - RY 60-30
Merck & Co., Inc.
P.O. Box 2000
Rahway, NJ 07065

RECEIVED
CENTRAL FAX CENTER
JAN 26 2009

Restricted
Confidential
Limited access

FACSIMILE COVER SHEET

Date: January 26, 2009

Please deliver the following message to:

Commissioner for Patents
Fax Number: (571) 273-8300
Phone Number: (571) 272-0688

Examiner's Name: Patricia L. Morris
Group number: 1625
Phone number: (571)272-0688

This message is from:

Name: J. Eric Thies
Fax number: (732) 594-2250
Phone number: (732) 594-3904

RE: USSN: 10/551,709
Filing Date: October 3, 2005
Applicants' Ref.: Case MS0035YP
For: Di-Aryl Substituted Pyrazole Modulators of Metabotropic Glutamate Receptor-5

NUMBER OF PAGES BEING TRANSMITTED (INCLUDING COVER): 8

IF YOU DO NOT RECEIVE ALL OF THE PAGES, PLEASE CALL (732) 594-1251

CERTIFICATION OF FACSIMILE TRANSMISSION

I hereby certify that this paper is being facsimile transmitted to the United States Patent and Trademark Office on the date shown below

Type or print name of person signing certification

Christine Dona

Signature Christine M. Dona Date January 26, 2009

RECEIVED
CENTRAL FAX CENTER
JAN 26 2009

Patent

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants : Nicholas D. P. Cosford et al.

Serial No. : 10/551,709 CASE: MS0035YP Art Unit:
Filed : October 3, 2005 1625
For : DI-ARYL SUBSTITUTED PYRAZOLE MODULATORS Examiner:
OF METABOTROPIC GLUTAMATE RECEPTOR-5 Patricia L. Morris

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

AMENDMENT UNDER 37 C.F.R. §1.111

Sir:

This communication is in response to the Official action of October 24, 2008, for which a reply is due by January 24, 2008, or the next business day thereafter. The Applicants respectfully request reconsideration of the application in view of the following amendments and remarks. Any additional fees associated with this Response may be charged to Merck Deposit Account No. 13-2755.

Amendments to the Claims are reflected in the listing of claims which begins on page 2 of this response. **Remarks** begin on page 6 of this response. Please amend this application as follows: